

SYSTEM AND METHOD FOR SUPPLYING SUPPLEMENTAL INFORMATION FOR VIDEO PROGRAMS

RELATED APPLICATIONS

This application is a Continuation-In-Part of U.S. Patent application entitled "System and Method for Supplying Supplemental Audio Information for Broadcast Television Programs" filed March 20, 1997, ²⁴ application no. 08/221,436 now Pat No. 6,209,028

BACKGROUND OF THE INVENTION

This invention relates to the field of video programs. More particularly, the present invention provides a system and method for video program viewers to receive supplemental information, via a computer data communication network, that is synchronized to the action and events of the video program.

Many broadcast television and video cassette programs (e.g., rented movies) are regularly watched by large audiences. Considering the growing number of TV sets and video cassette recorders (VCR) in homes and the amount of time the average person spends watching TV, the size of the audience is expected to increase over time. Correspondingly, programs need to change and evolve to suit the ever-more diverse tastes and interests of this expanding audience.

Advertisers, broadcasters and video program producers are constantly looking for ways to

enhance the viewing experience of their programs. Moreover, they are looking for ways to differentiate and promote their programs over those of their competitors. For example, television networks, cable companies and independent program providers offer a myriad of program categories to capture the interest of viewers. These program categories include, for example, game shows, talk shows, situation comedies, sporting events, soap operas, movies and educational programs. The ultimate goal is to provide interesting programming, in order to capture a large segment of the viewing audience.

In recent years, the Internet has received a great deal of attention. The Internet is a vast and expanding network of computers and other devices linked together by various media, enabling all the computers to exchange and share data. The Internet provides an enormous amount of information about a myriad of corporations, products and services, as well as educational, research and entertainment information. It is estimated that more than 30 million people worldwide now use the Internet with 100 million predicted to be on the "net" within a few years.

One way to establish a presence on the Internet is by placing a web site on a host operating a web server within a given domain name (e.g., "USPTO.gov"). A web site consists of one or more web pages, which are basically computer data files. A web page is identified by a unique Internet address commonly referred to as a Uniform Resource Locator ("URL"). When the web server receives an inquiry from the Internet, it returns the web page data to the computer making the inquiry. The web page may comprise multiple pages of information including messages, hyperlinks (i.e., automatic links that permit jumps from one web page to another), audio and graphical information, and combinations thereof.

In this regard, some advertisers and producers of television programs, movies and video

3

3

programs have created web sites to promote and to provide additional information concerning their respective programs or projects. For example, an Internet user can access a web site related to his favorite TV show (e.g., "http://www.spe.sony.com/pictures/tv/seinfeld.htm") to get an episode schedule, get more information about the TV show's characters and actors, and find out about up-coming special events. Web sites have also been created which allow Internet users to gather additional information about products or services that are advertised in television commercials.

Television advertisers having associated web sites often display the Internet address, or URL of an associated web site during television advertisements. With the URL, a prospective customer can access the advertiser's web site to receive additional information about the advertiser, the advertised product and/or related products.

As these web sites make clear, advertisers, producers and developers of video programs have the potential to provide the viewer with far more information than can be practically accommodated by conventional television or video cassette programs. For example, the typical TV program format makes it difficult to provide intricate details concerning the plot or characters within the program, because the story-line must flow in a relatively quick and fluid manner. Unlike a novel, where an author can devote extensive time to a given character, item, or event, the dialogue in TV programs must flow in a real-time manner. In many situations, this means that the writers must provide only a brief summary of a character, item or event to fit within the limitations of a television program and keep the action flowing smoothly.

In contrast to broadcast television or video cassette programs in which playing time is premium, a web site providing supplemental information is not so constrained. In this

The failure of these system to provide synchronized supplemental information is a major disadvantage. To more fully enhance the viewer's experience, the supplemental information discussed above must be provided at the proper times to correspond with the action and events of the video program.

A wealth of non-broadcast material (or non-video-taped material) could be created and used to supplement conventional video programs. In the example discussed above, additional audio and visual tracks could be used to provide the supplemental information desired by the viewer. Although, this supplemental information must be synchronized to the action and events occurring in the video program so that the viewer can receive this information at the proper times.

SUMMARY OF THE INVENTION

The present invention solves the foregoing deficiencies by providing a system and a method for enabling video program viewers to receive synchronized supplemental information related to video programs. The present invention advantageously enables video program viewers to request and receive the synchronized supplemental information through a computer data communication network interface.

In particular, one aspect of the present invention is directed to a method of supplying supplemental audio and visual information that is synchronized to a video program. This method includes providing program identification and synchronization information integrated with the video program. The viewer makes a request for the supplemental information through a computer data communication network. The viewer provides the program

identification and synchronization information integrated with the video program being viewed. The viewer then receives the requested supplemental information synchronized to the video program through the computer data communication network. This method allows the supplemental information to be synchronized to a live broadcast television program or a pre-recorded video tape program, such as a rented movie or a time-shifted playback of a television program.

Another aspect of the present invention allows the viewer to interactively change the supplemental information as it is being received. This embodiment allows the viewer to make additional requests at certain times throughout the video program to, for example, skip or modify certain portions of the supplemental information.

The present invention also provides an apparatus which integrates the video program and the supplemental information on the same monitor. In this aspect, the program identification and synchronization information are automatically extracted from the video signal, which eliminates the need for the viewer to provide this information separately.

It is an advantage of the present invention to provide synchronized supplemental information on a web site. Such information would be of great interest to devoted fans of TV programs, for example, who would like more detail about the characters, items and events within a program, and not just additional, general information.

It is an additional advantage of the present invention to provide a system which increases the amount of information available about a video program, thereby creating even greater interest in a particular TV or video program.

It is a further advantage of the present invention to enable advertisers to provide additional

information on products promoted during a video program. In addition, the present invention enables an advertiser who could not otherwise afford television commercial time a means for affiliating with its product with a video program by advertising on a synchronized web site. Such a web site synchronized to a video program can provide significant additional advertising revenues to broadcasters and video program producers not available using prior art systems.

Other aspects of the present invention are described below.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a schematic block diagram overview of one system constructed in accordance with the present invention.

FIG. 2 is a schematic block diagram illustrating the program identification and synchronization information displayed during the video program.

FIG. 3 is a schematic block diagram illustrating the preferred integrated display device of the present invention.

FIG. 4 is a flow chart illustrating a preferred method of presenting supplemental information in accordance with the integrated display device of FIG. 3.

FIG. 5 is a table depicting the simulcast event database within the integrated display device of FIG. 3.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

In a preferred embodiment of the present invention, writers and developers of video programs prepare supplemental information related to TV show episodes, movies, video tape presentations, and the like. This supplemental information comprising additional audio, text, and visual information related to the video program is made available at an Internet web site accessible by the viewers of the video program. Viewers can simultaneously view the video program on a TV receiver, for example, and receive the supplemental information on their computer monitor display.

To illustrate the utility of the present invention consider a situation where the writers and/or director of a murder mystery television program might incorporate a "suicide note" in a particular scene. Due to time constraints, they may be required to quickly flash or briefly summarize the "suicide note" to the viewing audience. If a viewer were able to, however, he may wish instead to slowly peruse the "suicide note" left by the victim. This might give the viewer additional insight into a character or event of the program, or provide additional entertainment by allowing the viewer to speculate as to future events in the program.

In another situation, a particular scene within a video or television program may have multiple characters involved in separate conversations, although, only one conversation can be showcased for the viewers at a time. However, rather than focusing on the particular conversation being showcased at that moment, a viewer may wish to eavesdrop on the other conversations or get a different visual perspective in order to get a better look at or understanding of other characters.

The present invention enables the producers of these video programs to offer a wide variety

of additional information about the characters, story-lines and other aspects of their video program while being less hampered by the inherent constraints of a video program such as time, story development and continuity. A few of the possible forms of supplemental information that can be supplied to the viewing public are shown by the following examples:

Close-ups of specific items: As discussed above, a viewer may wish to slowly read and examine a "suicide note" left by a character in a murder mystery video program. Viewers of a medical drama may wish to view the medical records or test results, which are not shown to the viewers, of a patient being examined by a doctor on the show. Advertisers, sponsors and producers may provide close-ups of props along with related information, such as the history of the prop in the program or sales information related to purchasing the prop.

Alternative camera angles: This enables the viewer to focus on areas of the video program that are in the background or that are only quickly scanned in the video program. For example, during a legal drama, viewers may wish to focus on the defendant's or jury's reaction to certain evidence or testimony, rather than an overview camera angle of the courtroom.

Alternative scenes and dialogue: Viewers can enhance enjoyment of their favorite TV programs by following their favorite characters throughout the show. When, for example, that character leaves the scene to go to a new location, the viewer may elect to receive supplemental visual and audio information related to that character's action in the new location which is not seen by the conventional viewing public. Further, supplemental visual and audio information such as out-takes, edited scenes and alternative dialog may be provided to enhance the viewing experience.

Interactive games: Viewers may engage in games of skill and trivia related to the particular video program being viewed. For example, online tournaments may be conducted whereby viewers may compete against one another during a broadcast video program. It should be understood that the Internet (or commercial online service provider such as America Online) can provide a back channel allowing the web site to collect and evaluate viewers' answers to determine a winner. The tournament may include questions testing a viewer's knowledge of past programs, questions relating to events occurring during the current program or questions requiring a viewer to predict future events during the current program.

Other types of supplemental information: A running version of the video program's script may be available enabling a viewer to review the text of jokes or parts of dialogue that may have been missed can be reviewed. Mature content and themes not available on regular TV programs may be provided. Supplemental information can also be used to provide additional content, also referred to as "hyper-content," for news-type programs, consisting of information not included in the broadcast (e.g., an unabridged news report or background information). Such supplemental material may be made available specifically during commercial interruptions in the video program to extend the time constraints of the video program.

Supplemental information related to commercials or advertisements: Viewers can receive detailed information concerning the products or services being advertised within the video program. This may also include receiving answers to specific questions about the product, for example, where is the nearest dealer, or how much does a particular option cost. The viewers may also be able to receive coupons related to the products and services, as well as enter sweepstakes related to the advertisements. In addition, the synchronized web pages may provide links to other web pages (i.e. sponsor, producer or network) or links to

real-time video stream commercials.

In the present invention, the supplemental information is edited and synchronized to the action and events of the video program. This process ensures that the supplemental information is available to the viewer at the proper times throughout the video program. For example, as discussed above, when a doctor in a video program is viewing a patient's medical records, this information is also made available to the viewer via the synchronized web site. Throughout the video program, the viewer receives supplemental images, audio, dialogue, scenes and information synchronized to the specific actions and events occurring within the video program. This is in contrast to conventional web sites related to TV shows, for example, which only provide general information and are not synchronized to the TV show, even if accessed while viewing the TV show.

Referring now to the drawings, FIG. 1 is a schematic block diagram overview of one system constructed in accordance with the present invention. A television receiver 30 receives a video program from a video source 10 while a viewer 80 observes the video program. While one viewer is depicted receiving the video program from the television receiver 30, it is understood that the video program may be broadcast to and/or viewed by multiple viewers 80.

As depicted in FIG. 1, the video program is received and displayed by the television receiver 30 located in proximity to the viewer. Of course, other types of video signal display devices may be used instead of a conventional television set, such as, a personal computer adapted to receive and display video signals. The television receiver 30 may receive the video program through an antenna adapted to receive TV signals from a TV broadcast station, from a satellite transponder, a trunk cable from a CATV (i.e. cable TV) system, or from any other

suitable transmission means, as well as a playback of a pre-recorded program from a video cassette, laserdisc or compact disc.

As illustrated in FIG. 2, program identification information 33 and synchronization
5 information 32 are displayed discretely on a display screen 31 of the television receiver 30. This information is integrated with the video program. The location of this information may be anywhere on the display screen 31. The amount of display area consumed by the information (i.e., font size) may also be varied. Program identification information 33 and
10 synchronization information 32 may also be presented in a non-visual machine readable format such as by embedding data in an audio track or using a portion of a video track not displayed on the television receiver 30.

The program identification information 33 and the synchronization information are recorded
15 on the same recording medium as the video program. For example, a television program can be recorded and then the synchronization information can be added during editing of the recorded television program. Alternatively, this information can be added at the time of recording or broadcasting the television program. It is also understood that the program identification information 33 and the synchronization information 32 would be presented even if the video program is recorded on a recorded medium and played-back by the viewer.

20 As shown in FIG. 2, the program identification information 33 is an eight digit alphanumeric code uniquely representing the particular video program being displayed. It is understood that other types of identification tags may be used to distinguish video programs from each other such as graphical images or other symbols. Each video program contains one such
25 code so that viewers can request specific supplemental information related to that video program, as discussed below.

the web pages such as hyperlinks may be activated in synchronization with certain events during the video program.

Viewer 80 can access the web site server 70 through conventional interface software called a "web browser" or other data communication protocol means. To gain access to the web site server 70, for example, viewer 80 specifies the Internet address or URL associated with the web page to the web browser. The browser then communicates with the relevant web site server 70 containing the web page data. A modem (not shown) or similar means can be used to facilitate communication with the web site server 70. In the present invention, the URL of the web site server 70 can be displayed before and/or during the video program. The URL can also be generally distributed in advertisements. For example, the URL can be printed in newspaper and magazine advertisements or displayed during a televised advertisement.

After accessing the web site server 70, viewer 80 is guided by a graphical user interface and icons (not shown) to access the supplemental information stored therein. In particular, viewer 80 provides the program identification information 33 and synchronization information 32, to the web site server 70. In response, the web site server 70 first accesses the particular supplemental information related to the program identification information 33 provided by viewer 80. Then the web site server 70 synchronizes the supplemental information to the action and events occurring in the video program based on the synchronization information 32 (i.e., the time-code). This is accomplished by using the time-code as an offset, as described above. The supplemental information, in the form of web pages, is then sent to viewer 80 via the personal computer 40.

In one embodiment, viewer 80 is prompted for a credit card number to pay for the supplemental information when accessing the web site server 70. Arrangements could also

be made for periodic service bills to be mailed to the viewer. Alternative payment mechanisms include billing in conjunction with a 900, 800 or 888 telephone number, Digicash or Cybercash. The revenues generated by the service can be distributed in a variety of ways among the various persons and organizations providing the service (i.e. the video program provider, the Internet service provider, the actors, etc.).

When viewer 80 receives the web pages, the information contained therein preferably corresponds to the action and events occurring in the video program. This ensures that the events contained within the supplemental information coincides with the content of the video program. Each event has a respective begin time and end time which is synchronized to the time-code, as shown in the example below:

BEGIN-TIME	END-TIME	EVENT
00:00:00	00:02:00	display intro. images
00:02:01	00:03:36	show close-up of report
00:03:37	00:10:56	play camera angle #1
00:10:57	00:12:00	show product menu
00:12:01	00:20:00	play scene #1
00:20:01	00:21:08	show close-up of note
00:21:09	00:26:11	play audio #1
00:26:12	00:30:00	display closing images

Some of the supplemental information contained in the web site server 70 may be selectable by viewer 80. For example, viewer 80 may choose to receive one or more close-ups of several documents, medical reports, suicide notes, etc. These choices are made available at the appropriate times throughout the video program. In addition, viewer 80 may wish to

select a particular character within a TV show and receive supplemental scenes and dialogue related to this character. Once again, these scenes are synchronized to accommodate when that character is "in" or "out" of the scene being displayed by the television receiver 30.

5 FIG. 3 is a schematic block diagram illustrating a preferred integrated display device 50 of the present invention. This device integrates the functions of the television receiver 30 and the personal computer 40 discussed above. The integrated display device 50 allows the video program and the supplemental information to be viewed on a single display 63. Any one or a variety of display apparatuses are suitable for this purpose, including, for example a
10 Cathode Ray Tube ("CRT"), Liquid Crystal Display ("LCD"), or similar apparatus capable of displaying high resolution color video signals. The display 63 has segregated sections to display the video program, the supplemental information and a control/menu section (not shown). An input/output interface 58 transmits the outgoing video/control signal to the display 63.

15 The integrated display device 50 includes a CPU 51 which performs the processing functions. The device 50 also includes a read only memory 52 (ROM) and a random access memory 53 (RAM). The ROM 52 is used to store at least some of the program instructions that are to be executed by the CPU 51, such as portions of the operating system or basic
20 input-output system (BIOS), and the RAM 53 is used for temporary storage of data. A clock 54 provides timing signals which are required by the CPU 51.

The CPU 51 can also store information to, and read information from, a data storage device 56. This storage device preferably includes or is adapted to receive static memory capable of
25 storing large volumes of data, such as one or more of floppy disks, hard disks, CDs, or magnetic tapes.

The data storage device 56 includes a simulcast event database 56a. This database is described more fully with reference to FIG. 5, below. In addition, the data storage device 56 includes instructions which can be read by and executed by the CPU 51, thereby enabling the CPU 51 to process requests for supplemental information and control the data flow therein. Additional databases may be added as needed to store a variety of other information that may be required for other purposes.

The integrated display device 50 also includes a communication port 55 connected to a computer data communication network interface 60. The communication port 55 enables the CPU 51 to communicate with external devices, in particular, with the web site server 70 discussed above. The network interface 60 serves as an interface between the CPU 51, via the communication port 55, and the web site server 70. Network interface 60 is capable of receiving data streams from both the CPU 51 and the web site server 70, and the data streams are formatted according to their respective communication protocols. Network interface 60 can also reformat the data streams appropriately and relay the data streams accordingly. Network interface 60 preferably can handle a variety of different communication protocols.

A video processor 57 is used by the integrated display device 50 to receive video signals from a video input source 61. The video signals can be in either an analog or digital format. These signals are converted into a digital format suitable for storage and manipulation by the CPU 51.

An input device 62 is also connected to the input/output interface 58. The input device 62 is used to facilitate input of data by the viewer from either a mouse or keyboard. However,

ways. The integrated display device 50 may communicate with the web site server 70 and download the information related to one or more video programs. This may be done before or during the viewing of the video program. It is understood that the information stored within the simulcast event database 56a may be updated as needed.

In an alternative embodiment, the supplemental information can be downloaded into the simulcast event database 56a from a computer readable medium, such as a CD-ROM, floppy disk, and the like. In this embodiment, the integrated display device 50 would execute a stand-alone computer application designed to synchronize and display the supplemental information. The computer application could be distributed, for example, via a CD-ROM or the Internet.

The personal computer 40 could also execute a stand-alone computer application coupled with an integrated simulcast event database 56a to provide synchronized supplemental information to the viewer. In this embodiment, the viewer would not be required to access the web site server 70 each time supplemental information related to a particular video program was desired. The viewer would simply download the computer application and the simulcast event database 56a beforehand and execute the computer application when viewing the video program. Alternatively, as discussed above, the computer application and database could be distributed using other means such as a CD-ROM.

FIG. 4 is a flow chart of the exemplary operation of the stand-alone computer application for presenting the supplemental information. The process will be described with reference to integrated display device 50, however, the method could also be implemented using personal computer 40. The process starts when the viewer receives the program identification information 33 and the synchronization information 32 displayed on display screen 63 while

viewing the video program in step S1. In step S2, the computer application is initialized by the viewer 80. This can be performed, for example, using a mouse to double click an icon representing the computer application. The viewer is then prompted to enter the program identification information 33 and the synchronization information 32 via the input device 62 in step S3.

After entering the synchronization information 32 consisting of the time-code, viewer 80 can optionally adjust the entered time-code to ensure a close match with the running time-code contained within the video program. In particular, pop-up messages and menu selections prompt and guide the viewer to adjust the time-code using the input device 62. This can also be accomplished using the keyboard or mouse (not shown) of the personal computer 40.

In step S4, the program identification information 33 is processed. Based on the program identification information 33 entered by viewer 80, the CPU 51 obtains the appropriate supplemental information stored in the simulcast event database 56a or accessible by the CPU 51 via external means (i.e., from a CD-ROM or the web site server 70). The CPU 51 also initializes a time counter based on the synchronization information and updates the time counter based on timing signals from internal clock. The time-code entered by viewer 80 is incremented (step S5) at predetermined intervals (e.g., every second) to ensure that proper synchronization is maintained with the video program.

The CPU 51 determines in step S6 when to present specific events (part of the supplemental information) based on the continually updated time counter. For example, when the updated time counter is greater-than or equal to the BEGIN-TIME but less-than the END-TIME for a specific event, that event is presented to viewer 80. The first event presented to the viewer is thereby synchronized to the video program. The first event is off-set using the time-code

information, so that proper synchronization with the video program is maintained.

As discussed above, viewer 80 may also select various options while the supplemental information is being presented. When optional or selectable information is available, viewer 80 is prompted by various means such as: pop windows, menu choices, dialog boxes, etc. appearing on the display 63. Methods of implementing these applications will be apparent to those skilled in the art, and will not be further described in the present disclosure. Viewer 80 can then exercise an option via an input device such as input device 62. In step S8, the response of viewer 80 is processed and the appropriate supplemental information is presented accordingly.

In an alternative embodiment, the program identification information 33 and the synchronization information 32 may be derived by the integrated display device 50 directly from the video program. The video processor 57 of the integrated display device 50 extracts the necessary information as needed. Since this process would be transparent to the viewer 80, the information would not need to be visually displayed.

While the present invention has been described above in terms of specific embodiments, it is to be understood that the invention is not intended to be confined or limited to the embodiments disclosed herein. On the contrary, the present invention is intended to cover

22

various methods, structures and modifications thereof included within the spirit and scope of the appended claims.

F508\A559864\rm

20090909 09:09:09

23

23